

# **OVERVIEW**



1. USB 3.2 Gen 1	6. HDMI 2.1
2. E-camera shutter switch	7. Power connector
3. Ethernet (RJ-45)	8. Thunderbolt 4
4. Thunderbolt 4	9. Headphone / microphone combo jack (3.5mm)
5. 3x USB 3.2 Gen 1 (one Always On)	



## **PERFORMANCE**

## **Processor**

#### **Processor Family**

11th Generation Intel® Core™ i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5-11260H	6	12	2.6GHz	4.4GHz	12MB	DDR4-3200	Intel UHD Graphics
Core i5-11400H	6	12	2.7GHz	4.5GHz	12MB	DDR4-3200	Intel UHD Graphics
Core i7-11600H	6	12	2.9GHz	4.6GHz	18MB	DDR4-3200	Intel UHD Graphics
Core i7-11800H	8	16	2.3GHz	4.6GHz	24MB	DDR4-3200	Intel UHD Graphics

## **Operating System**

## Operating System\*\*

- Windows® 11 Pro 64
- Windows 11 Home 64
- Windows 10 Pro 64
- Windows 10 Home 64
- No operating system

## **Graphics**

## Graphics\*\*

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce® RTX™ 3060 Laptop GPU	Discrete	6GB GDDR6	1425 MHz / 1702 MHz	130W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX® 12 Ultimate
NVIDIA GeForce RTX 3070 Laptop GPU	Discrete	8GB GDDR6	1560 MHz	130W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX 12 Ultimate

## **Monitor Support**

## **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C)

- HDMI supports up to 7680x4320@60Hz
- USB-C supports up to 5120x3200@60Hz

## Chipset

## Chipset

Intel HM570 chipset

## **Memory**

## Max Memory[1]

- Up to 32GB DDR4-2933 offering
- Up to 32GB DDR4-3200 offering

## **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

## Memory Type\*\*

- DDR4-2933
- DDR4-3200

## Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

## **Storage**

### Storage Support[1]

# Lenovo Legion 5 15ITH6H



Up to two drives, 2x M.2 SSD

- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 1TB

#### **Storage Slot**

Two M.2 slots

- One M.2 2280 PCIe<sup>®</sup> Gen 3x4 slot, supports M.2 2242/2280 SSD
- One M.2 2280 PCle Gen 4x4 slot, supports M.2 2242/2280 SSD

#### Storage Type\*\*

Disk Type	Interface	RPM	Offering	Security
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x4	-	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-	-	-

#### Notes:

## **Removable Storage**

### **Optical**

None

#### **Card Reader**

No card reader

## Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

#### **Speakers**

Stereo speakers, 2W x2, Nahimic Audio

## Microphone

Dual array microphone

# Camera

720p, with E-camera shutter, fixed focus

## **Battery**

#### Battery\*\*

- Integrated Li-Polymer 60Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)
- Integrated Li-Polymer 80Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)

#### Max Battery Life[1]

MobileMark® 2018: 7.5 hr

## Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

#### Power Adapter\*\*[1]

- 230W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz
- 300W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

#### Notes:

1. AC adapter offerings depend on the country.

### **DESIGN**

<sup>1.</sup> The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.



## **Display**

## Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
15.6"	FHD (1920x1080)	None	IPS	250 nits	Anti- glare	16:9	800:1	45% NTSC	170°	Refresh rate 120Hz, DC dimmer
15.6"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	1000:1	100% sRGB	170°	Refresh rate 165Hz, Dolby® Vison, G-Sync, DC dimmer, Advanced Optimus support
15.6"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	1200:1	100% sRGB	170°	Refresh rate 60Hz, DC dimmer
15.6"	WQHD (2560x1440)	None	IPS	300 nits	Anti- glare	16:9	1000:1	100% sRGB	178°	Refresh rate 165Hz, Dolby Vision™, G-Sync, DC dimmer

#### **Touchscreen**

Non-touch

Notes:

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

## **Input Device**

### Keyboard\*\*

- Phantom blue model: 6-row, multimedia Fn keys, numeric keypad, black keycap
- Stingray model: 6-row, multimedia Fn keys, numeric keypad, moon white keycap

## Keyboard Backlight\*\*

- · Blue backlight
- White backlight
- 4-Zone RGB backlight

#### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, 69 x 104 mm (2.72 x 4.09 inches)

## **Mechanical**<sup>111</sup>

### **Dimensions (WxDxH)**

362.56 x 260.61 x 22.5-25.75 mm (14.27 x 10.26 x 0.89-1.01 inches)

## Weight

2.4 kg (5.3 lbs)

### Case Color\*\*

- Phantom blue (top), shadow black (bottom)
- Stingray (top), dove grey (bottom)

## **Surface Treatment**

Painting

## **Case Material**

PC + ABS (top), PC + ABS (bottom)

#### **System Lighting**

No system lighting

#### Notes:

1. The system dimensions and weight vary depending on configurations.

# CONNECTIVITY

<sup>1.</sup> California Electronic Waste Recycling Fee



#### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ-45

WLAN + Bluetooth®[1][2]

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

#### Notes:

- 1. Bluetooth 5.2 is hardware ready but may run at lower version due to OS limitation
- 2. Wi-Fi 6 full features might be limited by country-level restrictions.

#### **Ports**<sup>[1]</sup>

#### **Standard Ports**

- 3x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x Thunderbolt™ 4 / USB4™ 40Gbps (support data transfer and DisplayPort™ 1.4)
- 1x Thunderbolt 4 / USB4 40Gbps (support data transfer, Power Delivery and DisplayPort 1.4)
- 1x HDMI 2.1
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s; FireWire 400: 400 Mbit/s;

FireWire 800: 800 Mbit/s

## **SECURITY & PRIVACY**

## **Security**

#### **Security Chip**

Firmware TPM 2.0 integrated in chipset

## **Fingerprint Reader**

No fingerprint reader

#### **BIOS Security**

- Power-on password
- · Supervisor password
- · Hard disk password

### **Other Security**

E-Camera shutter

## **SERVICE**

## Warranty

# Base Warranty\*\*[1]

- 1-year depot service
- 1-year depot with 2-year system board service (Korea only)
- 2-year (1-yr battery) depot service
- 3-year (1-yr battery) depot service

## Notes:

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty



## **ENVIRONMENTAL**

## **Operating Environment**

## Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### **Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitudo

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than  $10^{\circ}\text{C}$  (50°F).

## **ACCESSORIES**

## **Bundled Accessories**

#### **Bundled Accessories**

- Lenovo Legion™ M300 RGB Gaming Mouse (USB connector)
- None

## CERTIFICATIONS

#### **Green Certifications**

#### **Green Certifications**

- ErP Lot 3
- RoHS compliant
- $\bullet$  Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.





intel



intel





intel. intel.





intel